

PPR REFERENCE	OE REFERENCE	PRODUCT DETAILS	Material/Prod.Type	Min. Order 1- 9 Pcs.	Min. Order 10 - 49 Pcs.	Min. Order 50 - 100 Pcs.	Min. Order 100 Pcs. UP
BMW - FINISHED							
PPR 04.001	11 31 1 716 138	6 Cyl.-M20-2.0/2.5- 12V 304 x 7,70mm 7 Yataklı (h. 7,7 mm - Duration In./Ex.Peak Timing 304 ° 304 ° 105 ° Value Timing 47-77-77-47)	Chill Cast	200	150	100	Special Price
PPR 04.002	11 31 1 716 138	6 Cyl. - M20 - 2.0/2.5 - 12V - 316 ° 7 Yataklı (Duration In./Ex.Peak Timing 316 ° / 316 ° / 90 °)	Chill Cast	200	150	100	Special Price
CITROEN - FINISHED							
PPR 08.001		4 Cyl. - 16V - 1.6 - DOHC - Saxo VTS 278 °-Inlet (c.b.d. 37,80 h. 11,040 mm)	Chill Cast	200	150	100	Special Price
PPR 08.002		4 Cyl. - 16V - 1.6 - DOHC - Saxo VTS 278 ° - Outlet (c.b.d. 37,75 mm h. 11,040 mm)	Chill Cast	200	150	100	Special Price
FIAT - FINISHED							
PPR 13.005	4351726.	131 - 4 cyl. - 8 V OHV Eng	Chill Cast	200	150	100	Special Price
PPR 13.006	7552612.	Uno, Tipo, Tempra 4 cyl, 1,4 / 1,6i 268 degree	Chill Cast	200	150	100	Special Price
FORD - FINISHED							
PPR 14.001	771M 6250 BA	4 Cyl. - 8V - (c.b.d. 27,70 mm	Gray Casting	200	150	100	Special Price
PPR 14.006	932C6250 AA.	6 cyl. - 3,0 "Essex Eng."	Gray Casting	250	187,5	125	Special Price
LADA - FINISHED							
PPR 27.001	21080100601500	4 Cyl. - Samara Vega Eng. - 1500 cc (c.b.d. 32,00 mm - h 11,85mm)	Steel	250	187,5	125	Special Price
PPR.27.002	CTK 70621 8V	Lada Samara		250	187,5	125	Special Price
OPEL - FINISHED							
PPR 36.001	636 - - -	1.3 / 1.4 / 1.6 - 8 V - 270 °	Chill Cast	200	150	100	Special Price
PPR 36.002	636 - - -	1.8 / 2.0 - 8 V - 272 °	Chill Cast	200	150	100	Special Price
PPR 36.003	636 - - -	1.6 - 16V - X16XE - DOHC - Inlet	Chill Cast	200	150	100	Special Price

PPR 36.004	636 - - -	1.6 - 16V - X16XE - DOHC - Outlet	Chill Cast	200	150	100	Special Price
PPR 36.005	636 - - -	2.0 16V -Ecotec - X2.0XE - DOHC -256°	Chill Cast	200	150	100	Special Price
PPR 36.006	636 053	1.3 S - OHC - 8V - P/N	Chill Cast	200	150	100	Special Price
PPR 36.008		4 Cyl. - 1.3 / 1.4 / 1.6 - 8V OHC Eng. 270 ° - ground with 636 136 profile	Chill Cast	200	150	100	Special Price
PPR 36.007		4 Cyl. - 1.8 / 2.0 - 8V OHC Eng. 272 ° - ground with 636 136 profile	Chill Cast	200	150	100	Special Price
PPR 36.010	636 144	4 Cyl. - 2.0 - 16V C20XE DOHC Eng. 276 ° Inlet(c.b.d. 34mm - h.10,704 mm)	Chill Cast	200	150	100	Special Price
PPR 36.010	90 348 251	4 Cyl. - 2.0 - 16V - C20XE DOHC Eng. 276 ° Inlet(c.b.d. 34mm - h.10,704 mm)	Chill Cast	200	150	100	Special Price
PPR 36.009	636 145	4 Cyl. - 2.0 - 16V - C20XE DOHC Eng. 276° Outlet(c.b.d.34 mm h.10,704 mm)	Chill Cast	200	150	100	Special Price
PPR 36.009	90 443 712	4 Cyl. - 2.0 - 16V -C20XE DOHC Eng. 276 °Outlet (c.b.d.34 mm h.10,704 mm)	Chill Cast	200	150	100	Special Price
PPR 36.009	90 348 252	4 Cyl. - 2.0 - 16V C20XE DOHC Eng. 276 °Outlet(c.b.d.34 mm h.10,704 mm)	Chill Cast	200	150	100	Special Price
PPR 36.013		X20XE - 264 ° -2,0 16V X20XE Ecotec DOHC Eng 264° - In *C.b.d. 38 mm,h. 10,215 mm *Inner diameter on the rear 18 mm *1. cam - pin 45° *The outside lenght of the pin 3,7 mm	Chill Cast	200	150	100	Special Price
PEUGEOT - FINISHED							
PPR 40.001		4 Cyl. - 16V - 206 / 306 GTI - inlet (c.b.d. 37,90 mm, h. 9,310 mm)	Chill Cast	200	150	100	Special Price
PPR 40.002		4 Cyl. - 16V - 206 / 306 GTI - outlet (c.b.d. 37,90 mm h. 8,639 mm)	Chill Cast	200	150	100	Special Price
PPR 08.001		4 Cyl. - 16V - 1.6 - DOHC - Saxo VTS 278 ° Inlet(c.b.d. 37,80 h. 11,040 mm)	Chill Cast	200	150	100	Special Price
PPR 08.002		4 Cyl. - 16V - 1.6 - DOHC - Saxo VTS 278 ° Outlet (c.b.d.37,75 mm h.11,040 mm)	Chill Cast	200	150	100	Special Price
VW / AUDI - FINISHED							
PPR 58.001	037 - - - - -	4 Cyl. - 8V - Hyd. - Golf 037 268 ° (h. 11.2 mm)	Chill Cast	200	150	100	Special Price
PPR 58.002	037 - - - - -	4 Cyl. - 8V - Hyd. - Golf 037 272 ° (h. 11.4 mm)	Chill Cast	200	150	100	Special Price
PPR 58.003	037 - - - - -	4 Cyl. - 8V - Hyd. - Golf 037 276 ° (h. 11.5 mm)	Chill Cast	200	150	100	Special Price

PPR 58.004	037 - - - - -	4 Cyl. - 8V - Hyd. - Golf 037 288 ° (h. 11.7 mm)	Chill Cast	200	150	100	Special Price
PPR 58.005	027 / 051 - - - - -	109071	Chill Cast	200	150	100	Special Price
PPR 58.006	027 / 051 - - - - -	109070	Chill Cast	200	150	100	Special Price
PPR 58.007	037	4 Cyl. - 8 V - W 112 - Golf 037 266 ° - (ES112) (h. 11,38 mm) lobe center 112 ° Duration (In/Out) 266 ° 109075 tt 266 hyd	Chill Cast	200	150	100	Special Price
PPR 58.008		109073	Chill Cast	200	150	100	Special Price
PPR 58.009	027 109 101	16V- Golf - inlet	Chill Cast	200	150	100	Special Price
PPR 58.010	021 - - - - -	6 Cyl. - 12V - VR6 - 268 ° - Right	Chill Cast	200	150	100	Special Price
PPR 58.011	021 - - - - -	6 Cyl. - 12V - VR6 - 268 ° - Left	Chill Cast	200	150	100	Special Price
PPR 58.012		064 / S	Chill Cast	200	150	100	Special Price
PPR 58.013		064 / L	Chill Cast	200	150	100	Special Price
PPR 58.014	040 - - - - -	2.0 - 8V - Beetle 040 - Hyd. - 256 ° h. 10,89 mm - 601 093	Chill Cast	200	150	100	Special Price
PPR 58.015	040 - - - - -	2.0-8V-Beetle 040-Hyd.-260 ° - 601 021	Chill Cast	200	150	100	Special Price
PPR 58.016	040 - - - - -	2.0-8V-Beetle 040-Hyd.-268 ° - 601 091	Chill Cast	200	150	100	Special Price
PPR 58.017	040 - - - - -	276 ° - 601 092	Chill Cast	200	150	100	Special Price
PPR 58.018	034 - - - - -	5 Cyl.-10V - Hyd. -272 ° - (h.11,4 mm) (064 01 721 - 02)	Chill Cast	200	150	100	Special Price
PPR 58.019	058 - - - - -	4 cyl. - 1.8 - 20V - 260 ° - h. 10,4 mm Outlet	Chill Cast	200	150	100	Special Price
PPR 58.022	058 - - - - -	4 cyl. - 1.8 - 20V - 268 ° - h. 9,1 mm Inlet	Chill Cast	200	150	100	Special Price
PPR 58.023	049 - - - - -	1.5/1.6/1.7/1.8 Mech.Golf 276 ° ES 25A h. 11,300 mm	Chill Cast	200	150	100	Special Price
PPR 58.024	049 - - - - -	1.5/1.6/1.7/1.8 Mech.Golf 288 ° ES 25A h. 11,200 mm	Chill Cast	200	150	100	Special Price
PPR 58.033	049 - - - - -	1.5/1.6/1.7/1.8 Mech.Golf 300 ° ES 25A h. 11,800 mm	Chill Cast	200	150	100	Special Price
PPR 58.025	037 - - - - -	4 Cyl. - 8V Hyd.Golf 037 256 ° h.10.9mm (c.b.d. 33,55 h. 10,90 lobe sep. 110 degree)	Chill Cast	200	150	100	Special Price
PPR 58.026	037 - - - - -	4 Cyl. - 8V Hyd.Golf 037 260 ° h.10.7mm (c.b.d. 33,30 h. 10,69 lobe sep. 110 degree)	Chill Cast	200	150	100	Special Price
PPR 58.027	026 - - - - -	4 Cyl.-1.8-4 Journal-Golf 026-Hyd.298 °	Chill Cast	200	150	100	Special Price
PPR 58.028	037 - - - - -	4 Cyl. - 8V - Hyd. - Golf 037 - 298 ° (c.b.d. 34 h. 12 lobe sep. 108 degree)	Chill Cast	200	150	100	Special Price
PPR 58.029	037 - - - - -	4 Cyl. - 8V - Hyd. - Golf 037 - 298 ° Marked as VWR 298 (c.b.d. 34 h. 12 lobe sep. 108 degree)	Chill Cast	200	150	100	Special Price
PPR 58.030		4 Cyl.-Sport 270° Hyd.-1,8 / 2,0 8V Eng. 10.109.01.109 - AutoTec no. 109	Chill Cast	200	150	100	Special Price
PPR 58.031		4 Cyl. - Sport 260 ° Hyd. - A3-2,0 8V g60 Eng. 10.109.420 AutoTec no. 420	Chill Cast	200	150	100	Special Price

PPR 58.032	072 - - - - -	4 Cyl. - 8V	Chill Cast	200	150	100	Special Price
PPR 58.034	113 - - - - -	4 Cyl.-1,8-ES12 - W-110 air-cooled eng. Type 1 - Duration In/Out 247 ° - Lobe Center In/Out 108 °	Chill Cast	200	150	100	Special Price
PPR 58.035	058 - - - - - / M.sport	VW / Audi - 4 cyl. - 1.8 DOHC - 20V Motorsport Golf - inlet * Total lenght of hole along the shaft is is 520 mm * Lenght of front hole is 30,5 mm * Lenght of threaded hole (M10x1,25) is 21,5 mm * The shaft between 1st and 2nd cyl. is machined from edge to edge. (c.b.d. 33 mm h. 12,295 mm for cam nos 1,3,4,6,7,9,10,12 h. 12,096 for cam nos 2,5,8,11 Lobe sep. 6 degree)	Chill Cast	220	165	110	Special Price
PPR 58.036	058 - - - - - / M.sport	VW / Audi - 4 cyl. - 1.8 DOHC - 20V Motorsport Golf - outlet (c.b.d.33 mm h.12,76 mm) * Total lenght of hole along the shaft is 520 mm. * Lenght of front hole is 30,5 mm * Lenght of threaded hole (M10x1,25) is 21,5 mm	Chill Cast	220	165	110	Special Price
PPR 58.037	021 109 101	Right (c.b.d.34,35mm h.11,177 mm in/out 115 °)	Chill cast	200	150	100	Special Price
PPR 58.038	021 109 101	Left (c.b.d.34,40mm h.11,169 mm in/out 115 °)	Chill cast	200	150	100	Special Price
PPR 58.039		AutoTec no. 10-109-021 C - inlet (With gear)	Chill Cast	200	150	100	Special Price
PPR 58.040		AutoTec no. 10-109-022 C - outlet (With gear) (The position of distributor groove was changed on August 2006)	Chill Cast	200	150	100	Special Price
PPR 58.041	058 - - - - - / M.sport	VW / Audi - 4 cyl. - 1.8 DOHC - 20V Motorsport Golf - inlet h. 9,75 mm - 308°	Chill cast	200	150	100	Special Price
PPR 58.042	058 - - - - - / M.sport	VW / Audi - 4 cyl. - 1.8 DOHC - 20V Motorsport Golf - outlet h. 11,27 mm - 297 °	Chill Cast	200	150	100	Special Price
PPR 58.043	058 - - - - -	4 cyl. 1.8 - 20V - 272 ° - Turbo - Inlet c.b.d. 33,85 mm for cam nos 1,3,4,6,7 9, 10,12 and c.b.d. 33,25 mm for cam nos 2,5,8,11 h. 8,6804 mm for cam nos 1,3,4,6,7	Chill Cast	200	150	100	Special Price

		9, 10,12 and h. 8,6593 mm for cam nos 2,5,8,11 Duration 272 °						
PPR 58.044	058 - - - - -	4 cyl. 1.8 - 20V - 252 ° - Turbo - Outlet c.b.d. 33,85 mm h. 10,2998 mm Duration 252 °	Chill Cast	200	150	100	Special Price	
PPR 58.045	058 109 021K SP	4 cyl Golf 1.8- 20V - DOHC - inlet c.b.d. 36,05 mm for cam nos 1,3,4,6,7 9, 10,12 and c.b.d. 35,60 mm for cam nos 2,5,8,11 h. 9,60 mm lobe sep. 6 degree 30' Duration 293 degree	Chill Cast	200	150	100	Special Price	
PPR 58.046	058 109 022K SP	4 cyl Golf 1.8- 20V - DOHC - outlet (c.b.d. 36 mm h. 11,19 mm Duration 295 degree	Chill Cast	200	150	100	Special Price	
PPR 58.047	058 109 023K SP	Set for 4 cyl. Golf 1.8 - 20V - DOHC (Inlet (058 109 021K SP) and Outlet (058 109 022K SP)	Chill Cast	440	330	220	Special Price	
PPR 58.048	058 - - - - - / M.sport	058 M.Sport - 4 Cyl. - 1,8 - 20V - Inlet (EPS 58.011 is used) c.b.d. 36,05 mm for cam nos 1,3,4,6,7 9, 10,12 and c.b.d. 35,60 mm for cam nos 2,5,8,11 h. 9,60 mm	Chill Cast	220	165	110	Special Price	
PPR 58.049	058 - - - - - / M.sport	058 M.Sport - 4 Cyl. - 1,8 - 20V - Outlet (EPS 58.010 is used) (c.b.d. 36 mm h. 11,19 mm	Chill Cast	220	165	110	Special Price	
PPR 58.050		VR6 2,8/ 3,2 24V - Inlet (No . 2464) (c.b.d. 34,00 mm h. 5,47 mm)	Steel	220	165	110	Special Price	
PPR 58.051		VR6 2,8/ 3,2 24V - Outlet (No . 2460) (c.b.d. 34,00 mm h. 5,47 mm)	Steel	220	165	110	Special Price	
PPR 58.052	058 - - - - - / 1	VW / Audi - 4 cyl. - 1.8 DOHC - 20V Golf - inlet (With gear)	Chill Cast	220	165	110	Special Price	
PPR 58.053	058 - - - - - / 2	VW / Audi - 4 cyl. - 1.8 DOHC - 20V Golf - outlet (With gear)	Chill Cast	220	165	110	Special Price	
PPR 58.054	037 / 048	VW / Audi - 4 cyl. - 1.8 DOHC - 20V * With 048 109 101 R profile	Chill Cast	200	150	100	Special Price	

Original Vehicle maker Referances are only used for comparison and not mentioned on Invoices.