


























































Becker Ref.	Description / <i>Beschreibung</i>	Comparison Nr. / <i>Vergleich Nr.</i>	Dimension / <i>Masse</i>	Position
<b>1800 XT COUPE (XT) 11.84 - 12.90</b>				
<b>LEONE II 11.84 - 12.90</b>				
<b>LEONE II Estate 11.84 - 12.90</b>				
<b>SU-A-87232</b>	TIE ROD END SPURSTANGENKOPF	31320GA112 31320GA111	H.Thread/ <i>Rumpfgewinde:</i> M14x1,5 B. Thread/ <i>Kugelbolzen</i> : M10x1,25	 <b>L</b> 
				
<b>SU-A-87233</b>	TIE ROD END SPURSTANGENKOPF	31320GA102 31320GA101	H.Thread/ <i>Rumpfgewinde:</i> M14x1,5 B. Thread/ <i>Kugelbolzen</i> : M10x1,25	 <b>R</b> 
				
<b>SU-E-00213</b>	AXIAL JOINT AXIALGELENK	31310GA120	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen</i> : M14x1,5	 
				
<b>SU-E-84791</b>	AXIAL JOINT AXIALGELENK	31310GA151 31310GA150	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	   
				
<b>SU-E-22883</b>	AXIAL JOINT AXIALGELENK	31310GA170	H.Thread/ <i>Rumpfgewinde:</i> M14x1,5 B. Thread/ <i>Kugelbolzen</i> : M14x1,5	   
				
<b>SU-B-52463</b>	BALL JOINT FÜHRUNGSGELENK	721067003 721067002 721067001 721067000	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> : M12x1,25	   
				
<b>FORESTER (SF) 08.97 - 09.02</b>				
<b>IMPREZA (GD.GG) 08.97 &gt;</b>				
<b>IMPREZA Coupe (GFC) 08.97 - 09.02</b>				
<b>IMPREZA Estate (GD, GG) 08.97 &gt;</b>				
<b>SU-A-59354</b>	TIE ROD END SPURSTANGENKOPF	34141AA042 34141AA041	H.Thread/ <i>Rumpfgewinde:</i> M12x1,25 B. Thread/ <i>Kugelbolzen</i> : M12x1,25	 
				
<b>SU-E-46966</b>	AXIAL JOINT AXIALGELENK	34140AA040	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen</i> : M14x1,5	 
				
<b>SU-B-16476</b>	BALL JOINT FÜHRUNGSGELENK	21067GA050	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> : M12x1,25	  
				

# SUBARU



Becker Ref.	Description / <i>Beschreibung</i>	Comparison Nr. / <i>Vergleich Nr.</i>	Dimension / <i>Masse</i>	Position
<b>SU-G-61719</b> 	WISHBONE QUERLENKER	200200AC200F 200200AA200	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen :</i>	<b>R</b> 
<b>SU-G-61720</b> 	WISHBONE QUERLENKER	200200AC210F 200200AA210	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen :</i>	<b>L</b> 
<b>SU-F-62015</b> 	STABILIZER KOPPELSTANGE	20420AA004 20420AA003 20420AA002 20420AA001 20420AA000	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen :</i>	 
<b>SU-F-51197</b> 	STABILIZER KOPPELSTANGE	20481AA001 20481AA000	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen :</i>	 
<b>IMPREZA (GC) 08.92 - 12.00</b>				
<b>IMPREZA Estate (GF) 08.92 - 12.00</b>				
<b>LEGACY II (BD, BG) 08.92 - 12.00</b>				
<b>LEGACY II Estate (BD, BG) 08.92 - 12.00</b>				
<b>SU-A-61381</b> 	TIE ROD END SPURSTANGENKOPF	31320GA190	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen :</i> M12x1,25	 <b>R</b> 
<b>SU-A-61382</b> 	TIE ROD END SPURSTANGENKOPF	31320GA200	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen :</i> M12x1,25	 <b>L</b> 
<b>SU-A-59354</b> 	TIE ROD END SPURSTANGENKOPF	34141AA042 34141AA041	H.Thread/ <i>Rumpfgewinde:</i> M12x1,25 B. Thread/ <i>Kugelbolzen :</i> M12x1,25	 
<b>SU-E-46966</b> 	AXIAL JOINT AXIALGELENK	34140AA040	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen :</i> M14x1,5	 
<b>SU-B-16476</b> 	BALL JOINT FÜHRUNGSGELENK	21067GA050	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen :</i> M12x1,25	  
<b>SU-G-61719</b> 	WISHBONE QUERLENKER	200200AC200F 200200AA200	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen :</i>	<b>R</b> 

All Original numbers, mark and models from vehicle manufacturers listed in this catalogue are for comparison purposes only. And may not be used in invoices to vehicle owners.

Becker Ref.	Description / <i>Beschreibung</i>	Comparison Nr. / <i>Vergleich Nr.</i>	Dimension / <i>Masse</i>	Position
<b>SU-G-61720</b> 	WISHBONE QUERLENKER	200200AC210F 200200AA210	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	L 
<b>SU-F-62015</b> 	STABILIZER KOPPELSTANGE	20420AA004 20420AA003 20420AA002 20420AA001 20420AA000	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	 
<b>SU-F-51197</b> 	STABILIZER KOPPELSTANGE	20481AA001 20481AA000	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	 
<b>JUSTY I (KAD) 11.84 - 10.95</b> <b>JUSTY II (JMA, MS) 11.84 &gt;</b>				
<b>SU-A-25636</b> 	TIE ROD END SPURSTANGENKOPF	731320020	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen</i> : M10x1,25	  
<b>SU-E-30579</b> 	AXIAL JOINT AXIALGELENK	731310140	H.Thread/ <i>Rumpfgewinde:</i> M14x1,5 B. Thread/ <i>Kugelbolzen</i> : M12x1,25	  
<b>SU-B-20996</b> 	BALL JOINT FÜHRUNGSGELENK	721067022 721067021 721067020	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> : M10x1,25	  
<b>SU-D-95503</b> 	TRACK CONTROL ARM SCHWENKARM	721060530	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	L  
<b>SU-D-95504</b> 	TRACK CONTROL ARM SCHWENKARM	721060520	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	R  

# SUBARU







Becker Ref.	Description / <i>Beschreibung</i>	Comparison Nr. / <i>Vergleich Nr.</i>	Dimension / <i>Masse</i>	Position
<b>LEGACY I (BC) 01.89 - 08.94</b>				
<b>LEGACY I Estate (BJF) 01.89 - 08.94</b>				
<b>SU-A-61381</b>	TIE ROD END SPURSTANGENKOPF	31320GA190	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen</i> : M12x1,25	 <b>R</b> 
<b>SU-A-61382</b>	TIE ROD END SPURSTANGENKOPF	31320GA200	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen</i> : M12x1,25	 <b>L</b> 
<b>SU-B-16476</b>	BALL JOINT FÜHRUNGSGELENK	21067GA050	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> : M12x1,25	  
<b>SU-G-61719</b>	WISHBONE QUERLENKER	200200AC200F 200200AA200	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	 <b>R</b> 
<b>SU-G-61720</b>	WISHBONE QUERLENKER	200200AC210F 200200AA210	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	 <b>L</b> 
<b>SU-F-62015</b>	STABILIZER KOPPELSTANGE	20420AA004 20420AA003 20420AA002 20420AA001 20420AA000	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	  
<b>SU-F-51197</b>	STABILIZER KOPPELSTANGE	20481AA001 20481AA000	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	  

Becker Ref.	Description / <i>Beschreibung</i>	Comparison Nr. / <i>Vergleich Nr.</i>	Dimension / <i>Masse</i>	Position
<b>LEGACY III (BE, BH) 10.98 &gt;</b>				
<b>SU-A-59354</b> 	TIE ROD END SPURSTANGENKOPF	34141AA042 34141AA041	H.Thread/ <i>Rumpfgewinde:</i> M12x1,25 B. Thread/ <i>Kugelbolzen</i> : M12x1,25	 
<b>SU-E-10455</b> 	AXIAL JOINT AXIALGELENK	34140AA030	H.Thread/ <i>Rumpfgewinde:</i> M14x1,5 B. Thread/ <i>Kugelbolzen</i> : M14x1,5	 
<b>SU-G-61719</b> 	WISHBONE QUERLENKER	200200AC200F 200200AA200	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	<b>R</b> 
<b>SU-G-61720</b> 	WISHBONE QUERLENKER	200200AC210F 200200AA210	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	<b>L</b> 
<b>SU-F-62015</b> 	STABILIZER KOPPELSTANGE	20420AA004 20420AA003 20420AA002 20420AA001 20420AA000	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	 
<b>LEGACY III Estate (BE, BH) 12.98 &gt;</b>				
<b>SU-A-59354</b> 	TIE ROD END SPURSTANGENKOPF	34141AA042 34141AA041	H.Thread/ <i>Rumpfgewinde:</i> M12x1,25 B. Thread/ <i>Kugelbolzen</i> : M12x1,25	 
<b>SU-E-10455</b> 	AXIAL JOINT AXIALGELENK	34140AA030	H.Thread/ <i>Rumpfgewinde:</i> M14x1,5 B. Thread/ <i>Kugelbolzen</i> : M14x1,5	 
<b>SU-B-16476</b> 	BALL JOINT FÜHRUNGSGELENK	21067GA050	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> : M12x1,25	  
<b>SU-G-61719</b> 	WISHBONE QUERLENKER	200200AC200F 200200AA200	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	<b>R</b> 
<b>SU-G-61720</b> 	WISHBONE QUERLENKER	200200AC210F 200200AA210	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	<b>L</b> 

# SUBARU

























<b>Becker Ref.</b>	Description / <b>Beschreibung</b>	Comparison Nr. / <b>Vergleich Nr.</b>	Dimension / <b>Masse</b>	<b>Position</b>
<b>SU-F-62015</b> 	STABILIZER	20420AA004	H.Thread/	
	KOPPELSTANGE	20420AA003 20420AA002 20420AA001 20420AA000	Rumpfgewinde: B. Thread/ Kugelbolzen :	
<b>SU-F-51197</b> 	STABILIZER	20481AA001	H.Thread/	
	KOPPELSTANGE	20481AA000	Rumpfgewinde: B. Thread/ Kugelbolzen :	

Becker Ref.	Description / <i>Beschreibung</i>	Comparison Nr. / <i>Vergleich Nr.</i>	Dimension / <i>Masse</i>	Position
LEONE I 03.79 - 10.84 LEONE I Estate 03.79 - 10.84 LEONE I Hatchback 03.79 - 10.84				
<b>SU-A-50298</b>	TIE ROD END SPURSTANGENKOPF	731320000	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen</i> : M12x1,25	 <b>R</b> 
				
<b>SU-A-50299</b>	TIE ROD END SPURSTANGENKOPF	731320010	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen</i> : M12x1,25	 <b>L</b> 
				
<b>SU-A-27182</b>	TIE ROD END SPURSTANGENKOPF	631510070 631510040	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	 
				
<b>SU-E-37572</b>	AXIAL JOINT AXIALGELENK	731310060 731310011 731310010	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	  
				
<b>SU-B-52463</b>	BALL JOINT FÜHRUNGSGELENK	721067003 721067002 721067001 721067000	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> : M12x1,25	   
				
<b>SU-B-73189</b>	BALL JOINT FÜHRUNGSGELENK	623220043	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen</i> :	  
				

# SUBARU



Becker Ref.	Description / <i>Beschreibung</i>	Comparison Nr. / <i>Vergleich Nr.</i>	Dimension / <i>Masse</i>	Position
<b>LIBERO Bus (E10, E12) 01.83 - 02.00</b>				
<b>SU-A-14258</b> 	TIE ROD END SPURSTANGENKOPF	731320071	H.Thread/ <i>Rumpfgewinde:</i> M16x1,5 B. Thread/ <i>Kugelbolzen :</i> M10x1,25	 
<b>SU-E-03517</b> 	AXIAL JOINT AXIALGELENK	731320016 731311130	H.Thread/ <i>Rumpfgewinde:</i> M16x1,5 B. Thread/ <i>Kugelbolzen :</i>	 
<b>MV (AS) 06.78 - 08.86</b>				
<b>SU-A-50298</b> 	TIE ROD END SPURSTANGENKOPF	731320000	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen :</i> M12x1,25	 <b>R</b> 
<b>SU-A-50299</b> 	TIE ROD END SPURSTANGENKOPF	731320010	H.Thread/ <i>Rumpfgewinde:</i> M 14x1,5 B. Thread/ <i>Kugelbolzen :</i> M12x1,25	 <b>L</b> 
<b>OUTBACK (BE,BH) 10.00 - 12.99</b>				
<b>SU-A-59354</b> 	TIE ROD END SPURSTANGENKOPF	34141AA042 34141AA041	H.Thread/ <i>Rumpfgewinde:</i> M12x1,25 B. Thread/ <i>Kugelbolzen :</i> M12x1,25	 
<b>SU-B-16476</b> 	BALL JOINT FÜHRUNGSGELENK	21067GA050	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen :</i> M12x1,25	  
<b>SU-G-61719</b> 	WISHBONE QUERLENKER	200200AC200F 200200AA200	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen :</i>	<b>R</b> 
<b>SU-G-61720</b> 	WISHBONE QUERLENKER	200200AC210F 200200AA210	H.Thread/ <i>Rumpfgewinde:</i> B. Thread/ <i>Kugelbolzen :</i>	<b>L</b> 